

1. If you find a lost pet, please contact the owner as soon as possible. If you cannot reach the owner, please bring the pet to the nearest animal shelter or veterinary clinic. Do not attempt to return the pet to its original location without the owner's permission.

2. What to do if you notice a lost dog, cat or other pet

3. If you find a lost pet, please contact the owner as soon as possible. If you cannot reach the owner, please bring the pet to the nearest animal shelter or veterinary clinic. Do not attempt to return the pet to its original location without the owner's permission.

1. 目的と範囲
 2. 背景と現状

- 目的: 本報告書の目的は、プロジェクトの進捗状況を把握し、関係者への報告を行うことである。
- 範囲: 本報告書は、プロジェクトの計画、実行、評価の各フェーズについて、具体的な数値と事実を基に作成される。
- 対象者: 本報告書の対象者は、プロジェクトのメンバー、関係者、および経営層である。

3. 計画と実行
 4. 評価と改善
 5. 結論と今後の展望

6. 補足情報
 7. 参考文献

8. 謝辞
 9. 問い合わせ先
 10. 報告書の作成日

11. 報告書の承認
 12. 報告書の配布

13. 報告書の保存

14. 報告書の更新

15. 報告書の廃止

16. 報告書の再発行

17. 報告書の最終確認

[illegible]

本行 總行 設於 台北市 信義區 永福路 二段 100 號 11 樓，
 總行 電話：(02) 2712-1234；分行 設於 台北市 中正區 永福路 二段 100 號 11 樓，
 分行 電話：(02) 2712-1234；分行 設於 台北市 中正區 永福路 二段 100 號 11 樓，
 分行 電話：(02) 2712-1234。

[illegible]

Page in English

How to act if you've found a lost pet.

Assess the animal's condition

First and foremost, remember about safety precautions. The animal you found may be sick with rabies. Do not rush to approach too closely or catch it manually.

Assess the behavior of the animal and its appearance from a distance.

In an animal sick with rabies:

- Dilated pupils;
- Restless, aggressive behavior;
- Increased salivation or foaming at the mouth.

If you notice any of these symptoms, move away from the animal at a safe distance and immediately inform the proper authorities.

Determine whether the found animal is a pet or a stray

Usually, domestic animals have collars, are approachable to people, and may have clues to their owner. Before taking the animal, ask local residents; perhaps, they know about this animal and its owner.

A clip in the ear indicates that the animal is neutered, vaccinated against rabies, and registered in a database of stray animals. Some dogs may have their own stable territory and a group adapted to street life.

Check for the presence of an ID tag, tattoo, or microchip

An ID tag is a token (sometimes a capsule with a piece of paper) with the animal's name and the owner's phone number. It is attached to the collar or a special cord. Is there an ID tag? Call the owner!

A tattoo is a tattoo on the animal's ear or groin, consisting of numbers and certifying that it is a purebred animal. By the tattoo number, you can find the contacts of the animal breeder through official structures that register purebred animals.

A microchip is a special capsule implanted under the animal's skin. It contains a code with information about the animal. You can check for the presence of a microchip at a veterinary clinic, having previously found out if the clinic has a chip scanner.

Check for lost pet announcements

Go to the website www.lafmap.com; Lafmap uses a map where all lost and found items and animals are marked. Look at the map for the area where the domestic pet was found and nearby areas. Perhaps the owner has already posted an announcement about their lost pet. If there is no such announcement, create your own announcement with a photo of the lost animal; this way, it will be easier for the owner to contact you.

Periodically check specialized groups on social networks and bulletin boards for publications about lost pets.

How to establish contact with a scared dog?

If you see a dog without an owner, wait; perhaps, the owner is already on the way. Try to establish contact with the animal while being cautious.

A frightened animal may react aggressively, so try to calm it down. Speak to it softly and gently, avoiding sudden movements. Offer food or water, but most importantly, show care and compassion.

Revision #3

Created 9 May 2024 07:59:15 by JuliaJB

Updated 10 May 2024 06:52:01 by JuliaJB